

TV MOUNT PRODUCT MANUAL



2021-2022 ZENO METAL PRODUCTS CO.,LTD

CATALOG INDEX

1. Full Motion Cantilever	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	P1-3
2. Fixed Mounts	۰	•	•	•	۰	•	٠	•	•	•	٠	•	•	•	•	P4
3. Tilting Mounts	0	•	•	•	•	•	•	•	•	۰	•	•	•	•	•	P5-6
4. Desktop Mounts	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	P6-7
5. Ceiling Mounts	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	P8
6. Stands	•	•	•	•	•	•		•	٠	•		•	٠	۰	٠	P8
7. Mobile Carts · · · ·	•	•	•	•	•	•	•	•	۰	•	•	•	•	•	٠	P9-12
8. Other Brackets · · ·	0	•	•	•	0	0	•	0	•	•	•	•	•	•	•	P13



Fits: 32 " -55 "	VESA: 400x400mm
Tilt: +8 ° / -5 °	Swivel: ±90 °
Distance to wall: 55-500mm	Load Capacity: 31.8kg



Fits: 32 " -60 "	VESA: 400x400mm
Tilt: +10 ° / -2 °	Swivel: ±80 °
Distance to wall: 42-452mm	Load Capacity: 36.4kg



Fits: 32 " -60 "	VESA: 400x400mm
Tilt: +10 ° / -2 °	Swivel: ±80 °
Distance to wall: 48-459mm	Load Capacity: 35kg



Fits: 32 " -70 "	VESA: 400x400mm
Tilt: +8 ° / -5 °	Swivel: ±80 °
Distance to wall: 49-491mm	Load Capacity: 45.5kg



Fits: 32 " -75 "	VESA: 600x400mm
Tilt: +8 ° / -5 °	Swivel: ±80 °
Distance to wall: 49-491mm	Load Capacity: 45.5kg



X6

Fits: 40 " -75 "	VESA: 600x400mm
Tilt: +8 ° / -5 °	Swivel: ±80 °
Distance to wall: 58-500mm	Load Capacity: 45.5kg



Fits: 65 " -86 "	VESA: 600x400mm
Tilt: +6 ° / -7 °	Swivel: ±80 °
Distance to wall: 50-466mm	Load Capacity: 80kg



Fits: 23 " -52 "	VESA: 400x400mm
Tilt: ±15 °	Swivel: ±90 °
Distance to wall: 113-495mm	Load Canacity 45kg



Fits: 32 " -70 "	VESA: 600x400mm
Tilt: ±15 °	Swivel: ±80 °
Distance to wall: 113-495mm	Load Capacity: 50kg



H10

Fits: 75 " -120 "	VESA: 800x600mm
Tilt: +6 ° / -7 °	Swivel: ±80 °
Distance to wall: 50-680mm	Load Capacity: 100kg



Fits: 26 " -55 "	VESA: 400x400mm
Tilt: ±15 °	Swivel: ±80 °
Distance to wall: 113-495mm	Load Capacity: 50kg



Fits: 32 " -65 "	VESA: 600x400mm
Tilt: ±15 °	Swivel: ±90 °
Distance to wall: 113-495mm	Load Capacity: 45kg



Fits: 23 " -52 "	VESA: 400x400mm
Tilt: +10 ° / -4 °	Swivel: ±90 °
Distance to wall: 53-163mm	Load Capacity: 31.8kg



Fits: 32 " -60 "	VESA: 400x400mm
Tilt: +10 ° / -2 °	Swivel: ±80 °
Distance to wall: 41-441mm	Load Capacity: 36.5kg



117B

Fits: 14 " -45 "	VESA: 200x200mm
Tilt: ±15 °	Swivel: ±90 °
Distance to wall: 35-390mm	Load Capacity: 30kg



P4

Fits: 32 " -55 "	VESA: 400x400mm
Tilt: +8 ° / -5 °	Swivel: ±90 °
Distance to wall: 55-500mm	Load Capacity: 31.8kg



Fits: 32 " -60 "	VESA: 400x400mm
Tilt: +10 ° / -2 °	Swivel: ±80 °
Distance to wall: 52-462mm	Load Capacity: 36.5kg



Fits: 14 " -55 "	VESA: 400x400mm
Tilt: ±15 °	Swivel: ±90 °
Distance to wall: 35-390mm	Load Capacity: 45kg



B27

Fits: 14 " -42 "	VESA: 200x200mm
Distance from wall: 24mm	Load Capacity: 25kg



B41

Fits: 26 " -60 "	VESA: 400x400mm
Distance from wall: 22mm	Load Capacity: 50kg



Fits: 32 " -80 "	VESA: 600x500mm
Distance from wall: 27mm	Load Capacity: 50kg



Fits: 14 " -45 "	VESA: 200x200mm
Distance from wall: 29mm	Load Capacity: 30kg



Fits: 32 " -65 "	VESA: 400x400mm
Distance from wall: 29mm	Load Capacity: 50kg



Fits: 42 " -75 "	VESA: 600x400mm
Distance from wall: 29mm	Load Capacity: 65kg



Fits: 26 " -60 "	VESA: 400x400mm
Distance from wall: 26mm	Load Capacity: 40kg



Fits: 26 " -60 "	VESA: 400x400mm
Tilt: 0 ° ~12 °	Load Capacity: 40kg
Distance from wall: 35mm	



Fits: 14 " -42 "	VESA: 200x200mm
Tilt: ±15 °	Load Capacity: 25kg
Distance from wall: 54mm	





Fits: 32 " -70 "	VESA: 600x400mm
Tilt: 0 ° ~12 °	Load Capacity: 50kg
Distance from wall: 35mm	



Fits: 26 " -55 "	VESA: 400x400mm
Tilt: ±15 °	Load Capacity: 45kg
Distance from wall: 77mm	



115B

Fits: 32 " -70 "	VESA: 600x400mm
Tilt: ±15 °	Load Capacity: 45kg
Distance from wall: 77mm	



Fits: 26 " -55 "	VESA: 400x400mm
Tilt: ±15 °	Load Capacity: 50kg
Distance from wall: 59mm	



Fits: 17 " -30 "	VESA: 75/100mm
Tilt: +35 ° / -80 °	Swivel: 270°
Height: 464-525mm	Load Capacity: 2-9kg



Fits: 15 " -43 "	VESA: 200x200mm
Tilt: ±15 °	Load Capacity: 25kg
Distance from wall: 55mm	



Fits: 32 " -70 "	VESA: 600x400mm
Tilt: ±15 °	Load Capacity: 75kg
Distance from wall: 60mm	



Fits: 14 " -27 "	VESA: 75/100mm
Tilt: +35 ° / -80 °	Swivel: 270 °
Height: 464-525mm	Load Capacity: 2-9kg



Fits: 17 " -32 "	VESA: 75/100mm
Tilt: +35 ° / -50 °	Swivel: 270 °
Height: 464-542mm	Load Capacity: 2-9kg



Fits: 17 " -35 "	VESA: 75/100mm
Tilt: ±50 °	Swivel: ±90 °
Height: 515-587mm	Load Capacity: 3-10kg



Fits: 17 " -27 "	VESA: 75/100mm
Tilt: ±90 °	Swivel: ±45 °
Height: 815mm	Load Capacity: 9.9kg



Fits: 17 " -32 "	VESA: 75/100mm
Tilt: +35 ° / -50 °	Swivel: 270 °
Height: 464-542mm	Load Capacity: 2-9kg



Fits: 17 " -27 "	VESA: 75/100mm
Tilt: ±90 °	Swivel: ±45 °
Height: 423mm	Load Capacity: 9,9kg



Fits: 17 " -27 "	VESA: 75/100mm
Tilt: ±90 °	Swivel: ± 45 °
Height: 815mm	Load Capacity: 9.9kg



T560-15

Fits: 32 " -70 "	VESA: 600x400mm
Tilt: +15 ° / -5 °	Swivel: ±30 °
Height: 717-1584mm	Load Capacity: 68,2kg



Fits: 37 " -75 "	VESA: 600x400mm
Height: 695 mm	Load Capacity: 45kg



Z99A

Z520

Fits: 26 " -55 "	VESA: 400x400mm
Tilt: -2 ° ~10 °	Swivel: ±45°
Height: 1160-1243mm	Load Capacity: 35kg



T590-15

Fits: 32 " -65 "	VESA: 600x400mm
Tilt: +15 ° / -5 °	Swivel: ±30 °
Height: 680-1530mm	Load Capacity: 68.2kg



Z500M

Fits: 32 " -55 "	VESA: 600x400mm
Height: 485mm	Load Capacity: 50kg



SPS502B-400

Fits: 26 " -55 "	VESA: 400x400mm
Tilt: +10 ° / -5 °	Load Capacity: 45kg
Height: 975-1520mm	



Fits: 42 " -65 "	VESA: 600x400mm
Down tray size: 480x290mm	Base cover area: 895x655mm
Height: 1240-1430mm	Load Capacity: 50kg



C1700

Fits: 42 " -75 "	VESA: 600x460mm
Down tray size: 480x285mm	Base cover area: 700x430mm
Height: 1385-1665mm	Load Capacity: 100kg



Fits: 32 " -65 "	VESA: 600x400mm
Down tray size: 370x274mm	Base cover area: 707x542mm
Height: 900-1500mm	Load Capacity: 45.5kg



Fits: 50 " -80 "	VESA: 800x400mm
Down tray size: 370x280mm	Base cover area: 1000x716mm
Height: 950-1460mm	Load Capacity: 70kg



Fits: 32 " -65 "	VESA: 600x400mm
Down tray size: 455x301mm	Base cover area: 850x600mm
Height: 1030-1530mm	Load Capacity: 45.5kg



Fits: 55 " -80 "	VESA: 800x500mm
Down tray size: 455x301mm	Base cover area: 1000x680mm
Height: 1350-1650mm	Load Capacity: 90.9kg



Fits: 42 " -86 "	VESA: 900x600mm
Down tray size: 750x200mm	Base cover area: 850x630mm
Height: 1240-1430mm	Load Capacity: 150kg



Fits: 55 " -120 "	VESA: 1100x600mm
Down tray size: 1000x200mm	Base cover area: 1100x630mm
Height: 1090-1530mm	Load Capacity: 180kg



Fits: 42 " -65 "	VESA: 400x400mm
Height: 1157-1450mm	Down tray size: 800x600mm
Load Capacity: 75kg	



Fits: 55 " -75 "	VESA: 600x400mm
Down tray size: 640x410mm	Base cover area: 1050x610mm
Height: 1345-1445mm	Load Capacity: 100kg



C6500

Fits: 60 " -100 "	VESA: 1000x600mm
Down tray size: 735x355mm	Base cover area: 1060x465mm
Height: 1140-1665mm	Load Capacity: 150kg



Fits: 60 " -120 "	VESA: 1100x600mm
Down tray size: 980x520mm	Base cover area: 1130x730mm
Height: 1095-1470mm	Load Capacity: 200kg



Fits: 55 " -100 "	VESA: 800x600mm
Down tray size: 625x490mm	Base cover area: 1050x575mm
Height: 990-1440mm	Load Capacity: 180kg



Fits: 98 " -150 "	VESA: 1200x600mm
Down tray size: 960x520mm	Base cover area: 1390x730mm
Height: 1350-1810mm	Load Capacity: 300kg



Fits: 60 " -100 "	VESA: 1000x600mm
Down tray size: 506x287mm	Base cover area: 1401x680mm
Height: 1400-1725mm	Load Capacity: 136.4kg



Fits: 40 " -65 "	VESA: 600x600mm
Down tray size: 506x294mm	Base cover area: 1401x680mm
Height: 1400-1700mm	Load Capacity: 136.4kg



Q08

SIZE: 350x250mm Load Capacity: 10kg



SIZE: 360x250mm Load Capacity: 10kg



Tilt: ± 15 °	Swivel: ±20 °
Height: 430-650mm	Load Canacity 20kg



SPS502B

SIZE: 120x180mm	VESA: 95x148mm
Tilt: +5 ° / -2 °	Load Capacity: 40kg
Distance to wall: 225-300mm	



BX04

SIZE: 500-600mm	Load Capacity: 100kg
Height: 80-95mm	



K13-2P

SIZE: 450mm

About Us







Stamping workshop

Plastic Injection workshop

Weld workshop







Assembly processing

Flow line production

Finished goods warehouse

ZENO Metal Products Co.,Ltd is one of the most professional brackets manufacturers, who focus on all kinds of AC brackets and TV brackets, customized design is also welcome. Our factory was founded in 2007, located in Renqiu City, Hebei Province, which is near the biggest steel raw material production areas.

We have 2 production lines, and introduced advanced sanding and pickler equipment in 2015 to raise production ability. With good quality and superior service, our products is popular in American, Europe, Middle East and so on.

Office Add: Room 215, 2/F, Qimeng Chuangye Square, District, Guangzhou, China.

Factory Add1: Suzhuang Industrial Zone, Renqiu City, C Factory Add2: Chuangju Road Linhu Economic develop

Wujiang District, Suzhou, China